

SUPREME® INLAND VESSEL

SEAL FOR SMALL SHAFT DIAMETERS

Our Supreme seal specially designed for all types of Inland vessels has a clever and high quality design. With its cast iron housing parts, chrome steel liner, oil-repellent and water-repellent lip seal, it is optimised to ensure a long service life.

ADVANTAGES


- Effective separation of water and lubricants
- Targeted design for inland vessels
- Seal for small shaft diameters
- Available with a broad range of options



MODULAR
DESIGN



SPLIT TYPE
OPTIONAL



MATERIALS LDA


- Grey cast iron housing parts
- Two water-repellent rubber NBR/FKM/FKM-EAL lip seals
- Stainless steel liner

MATERIALS LDF

- Grey cast iron housing parts
- Two oil-repellant rubber NBR/FKM/FKM-EAL lip seals
- Stainless steel liner

Type approvals from the major classification societies are available [here](#). Curious about all customized options? [Take a look at the overview for all possibilities!](#)

AFT SEAL (LDA):




A	D	B	C	E	F	G	H	J	L	M	N	Q	P	R	S
110	70 – 100	185	240	215	8x M10 x 40	22	5	150	165	11	145	8x M8 x 25	125	5	176
125	101 – 115	195	250	225	8x M10 x 40	22	5	150	175	11	155	8x M8 x 25	135	5	176
140	116 – 130	220	280	250	8x M10 x 40	22	5	150	195	11	175	8x M8 x 25	150	5	176
155	131 – 145	240	305	275	8x M12 x 40	22	5	160	214	11	194	8x M8 x 25	175	5	185
170	146 – 160	255	320	290	8x M12 x 40	22	5	160	240	11	220	8x M8 x 25	200	5	185
190	161 – 180	275	340	310	8x M12 x 40	22	5	160	270	13	240	8x M12 x 30	214	5	185
200	181 – 190	285	350	320	8x M12 x 40	22	5	160	280	13	250	8x M12 x 30	224	5	185
220	191– 208	305	370	340	8x M12 x 40	22	5	160	300	13	270	8x M12 x 30	240	5	185
240	209 – 228	345	425	390	12x M16 x 45	22	5	170	320	13	290	8x M12 x 30	260	5	195
260	229 – 248	365	445	410	12x M16 x 45	22	5	175	340	16	310	8x M12 x 30	284	5	200

Despite the constant care and attention, we pay to the composition of this document, no rights can be derived from the contents. We accept no liability for any errors and / or omissions in the content of the document.



FORWARD SEAL (LDF):



A	D	B	C	E	F	G	H	J	K	L	M	N	P	R	S
110	70 – 100	185	240	215	8x M10 x 40	22	5	135	50	185	10	35	165	G 1/4"	150
125	101 – 115	195	250	225	8x M10 x 40	22	5	135	50	200	10	35	180	G 1/4"	150
140	116 – 130	220	280	250	8x M10 x 40	22	5	135	50	215	10	35	200	G 1/4"	150
155	131 – 145	240	305	275	8x M12 x 40	22	5	135	50	230	10	35	210	G 1/4"	150
170	146 – 160	255	320	290	8x M12 x 40	22	5	135	50	245	12	35	230	G 1/4"	150
190	161 – 180	275	340	310	8x M12 x 40	22	5	140	50	265	12	35	250	G 1/4"	155
200	181 – 190	285	350	320	8x M12 x 40	22	5	145	50	275	12	40	260	G 1/4"	160
220	191 – 208	305	370	340	8x M12 x 40	22	5	145	50	295	12	40	280	G 1/4"	160

Despite the constant care and attention, we pay to the composition of this document, no rights can be derived from the contents. We accept no liability for any errors and / or omissions in the content of the document.